

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S46	473	(wire wiring cable conductor) with (mount attach\$3 instal\$6 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (part terminal connector interconnect\$3 component device) and (wire wiring cable conductor) near3 (severing cut cutting) and (mark\$3 print\$3 labl\$3) near4 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring)	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:07
S47	118	"29"/\$.ccls. and S46	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:02
S48	52	"174"/\$ and S46 not S47	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:06
S49	17	"385"/\$ and S46 not S47 not S48	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:16
S50	16	"439"/\$ and S46 not S47 not S48 not S49	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:17
S51	17	"101"/\$ and S46 not S47 not S48 not S49	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:17
S52	435	(wire wiring cable conductor pipe hole) with (slid\$3 mount attach\$3 instal\$6 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device) and (wire wiring cable conductor pipe hole) near3 (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring pipe hole)	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/09 09:46
S53	291	S52 not S47 not S48 not S49 not S50 not S51	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:45

## EAST Search History

S55	1255	(wire wiring cable conductor pipe hole) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring pipe hole)	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:38
S56	418548	(mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3) near4 (information instruction direction)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/08 18:44
S57	238	S55 and S56	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/08 18:45
S58	323	(wire wiring cable conductor pipe hose rope) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device) and (wire wiring cable conductor pipe hose rope) near3 (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring pipe hose rope)	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/09 14:30
S59	143359	(wire wiring cable conductor pipe hose rope) with (mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 ) with (information instruct\$3 guid\$3 direction)	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/09 12:14
S60	158	S58 and S59	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/09 12:16
S61	14482	(wire wiring cable conductor pipe hose rope) with (mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3) near4 (part terminal connector interconnect\$3 component device) with (information instruct\$3 direction)	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/09 12:14

## EAST Search History

S62	46	S58 and S61	USPAT; USOCR; EPO; JPO	OR	ON	2007/02/09 12:16
S65	94	(wire wiring cable conductor pipe hose rope) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device) with (information instruct\$3 direction) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring pipe hose rope)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 11:09
S68	23	("3946768"   "3985951"   "4270961"   "4444705"   "4653155"   "4781619"   "4784614"   "4822956"   "4891012"   "4923537"   "4941845"   "5030116"   "5082253"   "5168124"   "5230146"   "5338014"   "5442518"   "5490664"   "5500179"   "5535511"   "5598627"   "5764249"   "5828299").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/09 14:37
S69	30	("1103369"   "1245475"   "1784236"   "2102625"   "2723465"   "2839843"   "2971275"   "3018462"   "3023394"   "3280499"   "3307374"   "3381394"   "3510964"   "3786393"   "3827162"   "4202351"   "4704091").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/09 14:40
S70	34	("0922576"   "1373416"   "1644132"   "1984839"   "2070952"   "2592788"   "2629953"   "2930155"   "3010743"   "3313057"   "3323514"   "3410247"   "3430377"   "3542013"   "3678608"   "3769933"   "3831549"   "3964470"   "3977104"   "3977105").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/09 14:40
S71	3	("1373416").URPN.	USPAT	OR	ON	2007/02/09 14:42
S72	7	("2592788").URPN.	USPAT	OR	ON	2007/02/09 14:43
S73	22	("4202351").URPN.	USPAT	OR	ON	2007/02/09 14:44

## EAST Search History

S74	31	(wire wiring cable conductor pipe hose rope) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device) with (adher\$3 adhesive) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring pipe hose rope)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 14:31
S75	1	(wire wiring cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (holder clamber guider harness) with (adher\$3 adhesive) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference fiducial lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 12:14
S76	1	"5153839".pn.	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 12:14
S77	4	(wire wiring cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) near4 (part terminal connector interconnect\$3 component device holder clamber guider harness) with (adher\$3 adhesive) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring) and (car vehicle house building board cabinet panel) with (lay\$1out plan)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 15:12

## EAST Search History

S78	16	(wire wiring cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (part terminal connector interconnect\$3 component device holder clasper guider harness) with (adher\$3 adhesive) same (car vehicle house building board cabinet panel) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor wiring)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 16:54
S79	11	("3263948").URPN.	USPAT	OR	ON	2007/03/05 15:41
S80	11	("2121989"   "2312150"   "3386306"   "3905249"   "5368247"   "5533419"   "5590921"   "D352885").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 15:43
S81	6	("959076").URPN.	USPAT	OR	ON	2007/03/05 15:45
S82	0	(wire cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (grommet (band near2 harness)) with (adher\$3 adhesive) and (severing cut cutting) and (mark\$3 print\$3 labl\$3) near3 (mark characters identification identity reference lable information indicia indicat\$3 code instruct\$3 guid\$3) with (cable wire conductor)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 16:56
S83	13	(wire cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (grommet (band near2 harness)) with (adher\$3 adhesive) and (severing cut cutting)	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 17:06
S84	7	("3584888"   "4901398"   "6058562"   "6240597"   "6495767"   "6525269"   "6603078").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 16:56
S85	9	("5739475"   "5774934"   "5856635"   "5981877"   "6058562"   "6240597"   "6267385"   "6353185"   "6402155").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 16:56

## EAST Search History

S86	43	("20020038492"   "20020038715"   "20020040802"   "20020056563"   "2188596"   "2225472"   "2234441"   "2420826"   "2489715"   "2800526"   "2922836"   "3182119"   "3182120"   "3243240"   "3245428"   "3654382"   "3916360"   "4033535"   "4630806"   "4674807"   "4678146"   "4864080"   "4959509"   "5071143"   "5806139"   "5811728"   "5836048"   "6119305"   "6218625"   "6359224"   "6495755"   "6506974").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 17:04
S87	0	(wire cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (grommet bushing (band near2 harness)) with (adher\$3 adhesive) and brake with anti\$1lock	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 17:08
S88	0	(wire cable conductor) same (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) same (grommet bushing (band near2 harness)) same (adher\$3 adhesive) and brake with anti\$1lock	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 17:07
S89	3	(wire cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (grommet bushing (band near2 harness)) with (adher\$3 adhesive) and brake	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 17:18
S90	8	("4181394").URPN.	USPAT	OR	ON	2007/03/05 17:10
S91	23	("2771588"   "3093432"   "3315211"   "3395244"   "4032214"   "4181394"   "4274697"   "4310213"   "4398785"   "4557545"   "4582388"   "4702538"   "4940262"   "4990103"   "5051543"   "5100341"   "5564947"   "5571145"   "5609499").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 17:11

## EAST Search History

S92	21	("3093432"   "3395244"   "3497608"   "4203004"   "5170016"   "5300732"   "5451171"   "5768808"   "5823817"   "6140584"   "6265668"   "6276078"   "6309229"   "6431904"   "D302883"   "D404363"   "D430371"   "D439564").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/05 17:14
S93	14	(wire cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (grommet bushing (band near2 harness)) with (adher\$3 adhesive) and vehicle	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 17:23
S94	23	(wire cable conductor) with (slid\$3 mount attach\$3 instal\$3 mounting mounted assembl\$3 interconnect\$3 coupl\$3 adher\$3) with (holder clasper guider retainer grommet bushing (band near2 harness)) with (adher\$3 adhesive) and vehicle not S93	USPAT; USOCR; EPO; JPO	OR	ON	2007/03/05 17:23